

SPECTRO xSORTxhho3 HANDHELD EDXRF SPECTROMETER





Advanced environmental screening on-site in seconds

Get the fastest environmental analysis in the field with

SPECTRO xSORT

Service companies, government agencies, universities, corporations, and testing labs perform environmental screening of soil, sediment, waste, and waste oil in everything from development areas and landfills to military installations, cement plants, and even picnic tables. Often they must test the material for heavy metals and other toxic elements for appropriate clearing or remediation.

However, surveying a large site can require hundreds of separate measurements — especially when you must also detect small, high-concentration hot spots.

The need for speed is paramount.

Enter the SPECTRO xSORT.





THIS HANDHELD ENERGY DISPERSIVE X-RAY FLUORESCENCE (EDXRF) SPECTROMETER provides extremely rapid, direct elemental testing and spectrochemical analysis of environmental samples with widely varying matrices, without complicated sample preparation. Achieving very low detection limits in the shortest possible time, SPECTRO xSORT furnishes laboratory-quality results, on-site, in seconds.

HIGH SPEED

For many environmental analysis tasks, SPECTRO xSORT displays results twice as fast as competitive instruments! Get accurate preliminary measurements in as little as a few seconds. Screening even a large site or sizable pile of waste material takes hours, not days.

LOW LIMITS: PERFECT FOR PPM PRECISION

A few-second spot check offers an immediate read. Hold on the sample longer for even more accurate parts-per-million analyses of arsenic, cadmium, chromium, copper, lead, mercury, or your contaminant of choice. SPECTRO xSORT is the ideal environmental analysis tool for qualitative or simple quantitative screening.

UNBEATABLE EASE: POINT, CLICK, READ, MOVE ON

Efficiency and simplicity pervade every aspect of the product's fit and function. Operators won't have to mess with methods or bother with flushes or vacuum systems. This instrument's compact, ergonomic, one-piece 1.64 kg (3.62 lb) design is optimized for easy, fatigue-free use in the field. And SPECTRO xSORT supplies one of the most intuitive software in its class.

SPECTRO xSORT advantages for environmental screening



So that SPECTRO xSORT instruments continue to meet and exceed customer availability goals, SPECTRO offers AMECARE Performance Services. The program fields more than 200 service engineers in more than 50 countries. The high-value, customized services they deliver help ensure optimum performance and the longest possible equipment life. Available AMECARE support includes protective maintenance programs, applications solutions, expert consultation, and targeted training.







High resolution silicon drift detecto





Detector	(SDD)				
Excitation	X-ray tube, Rh anode, 50 kV max. Height: 270 mm (10.7") Width: 93 mm (3.7") Depth: 230 mm (9.1") Weight: 1.64 kg (3.62 lb)				
Dimensions and weight (including battery pack)					
Spectrometer control	Integrated PC with Touch Screen, Windows Mobile 6.0, Interfaces: Bluetooth, Wireless LAN USB Host/Client				
Software	SPECTRO XRF Analyzer CE iCAL (Intelligent Calibration Logic) Analysis mode with grade ID/grade verification option, Sorting mode (Fast pass/fail assessment) Result manager for post-processing of testing results				
Accessories (Included)	Transport case Instrument/battery Holster Charger USB-Cable Consumables (films)				
Accessories (Not included)	Docking station Small parts/wire adapter Printer Barcode reader				
Options	Video camera (integrated)				

	// C C C C			
Vnical	N 154 (0 1)///	MI = M I 7	Al ann	lications

	Hand- held XRF	XRF	ICP- OES	ICP- MS
Fast screening of soil and sewage sludge				
Elemental analysis of contaminants in soil				
Elemental analysis of dust and fly ash				
Elemental analysis of water / waste water				
Elemental analysis of drinking water				
Elemental analysis of eluates				
Elemental analysis extractables				
Ambient air monitoring				
Fast elemental screening of alternative fuel				

SPECTRO: The industry's most comprehensive analytical line Unlike other handheld instruments, the SPECTRO xSORT spectrometer takes its place among today's most complete suite of advanced elemental analyzers.

Example: our flagship SPECTRO XEPOS XRF spectrometer offers even better accuracy at identifying and measuring elements and their concentrations in unknown environmental samples. In fact, SPECTRO XEPOS achieves detection limits up to 10 times lower than other XRF spectrometers. Also, our new SPECTROBLUE ICP-OES provides detection below the parts-per-billion level when analyzing liquid or solid samples after digestion or eluation, with comprehensive, compliant factory-prepared methods for many common environmental analyses.

Whatever the choice is, SPECTRO's more than 30 years of experience in elemental analysis and record of technological innovation ensures the best results in the business.

www.spectro.com

Internal GPS receiver

GERMANY

SPECTRO Analytical Instruments GmbH Boschstrasse 10 D-47533 Kleve Tel. +49.2821.892.0 spectro.sales@ametek.com



U.S.A

SPECTRO Analytical Instruments Inc. 50 Fordham Rd Wilmington 01887, MA Tel. +1 800 548 5809 +1 201 642 3000 spectro-usa.sales@ametek.com

CHINA

AMETEK Commercial
Enterprise (Shanghai) CO., LTD.
Part A1, A4 2nd Floor Building No. 1 Plot Section
No. 526 Fute 3rd Road East; Pilot Free Trade Zone
200131 Shanghai
Tel. +86.400.022.7699
spectro-china.sales@ametek.com

Subsidiaries:

- ► FRANCE: Tel. +33.1.3068.8970, spectro-france.sales@ametek.com ► GREAT BRITAIN: Tel. +44.1162.462.950, spectro-uk.sales@ametek.com
- ▶INDIA: Tel. +91.22.6196.8200, sales.spectroindia@ametek.com ▶ITALY: Tel. +39.02.94693.1, spectro-italy.sales@ametek.com
- ►JAPAN: Tel. +81.3.6809.2405, spectro-japan.info@ametek.co.jp ►SOUTH AFRICA: Tel. +27.11.979.4241, spectro-za.sales@ametek.com

SPECTRO operates worldwide and is present in more than 50 countries. For SPECTRO near you, please visit www.spectro.com/worldwide © 2015 AMETEK Inc., all rights reserved, subject to technical modifications • B-15, Rev.4 • 80902725 • Photos: SPECTRO, Adobe Stock Registered trademarks of SPECTRO Analytical Instruments GmbH • \$\frac{\text{\spectro}}{\text{\spectro}}\$: USA (3,645,267); EU (005673694); "SPECTRO": EU (009693763); xSORT: USA (IR 3,767,555); Japan, China (IR 978 588); EU (007058456).